

ylene
1.0
~
od ni s
.⊑
-S
Ξ
Ξ
C
Ξ
Ē
<u>:</u>
lc/n
-
Ξ
0
sls
ت
7
Ξ
Ξ
ě
ſme
0
ults
est
≊

al tests of talc/microsilica blends in polypropylene	in polypropylene			Charroy Timact
		Actual load	Tensile modulus	Strength in
		કે	in MPa	kJ/m ²
PP BA2021; (Borealis)	tale/microsifica 6:0,5	20	2180	25,9
PP BA2021; (Horealis)	tale/microsilica 6:1	30	2140	26,7
PP BA202B (Borealis)	tale/microsilica 3:1	20	2060	29,4
PP BA202E (Borealis)	tale/microsifica 2:1	20	2030	31,3
PP BA202E (Borealis)	tale/microsilica 6:1	\$	1500	45,3
PP BA202E (Borealis)	tale/microsilica 6:1	. 01	1790	43,7
PP BA202E (Borealis)	tale/microsilica 6:1	20	2280	39,6
PP BA202F. (Borealis)	talc/microsilica 3:1	5	1490	48,6
PP BA202F (Borcalis)	tale/microsilica 3:1	10	1720	46,9
PP BA202E (Borealis)	tálck/microsilica 3;1	20	2160	41.8
PP BA202E (Borealis)	tale/microsilica 2:1	V,	1430	48.8
PP BA202E (Borealis)	tale/mierosilica 2:1	01	1700	48,3
PP BA202F. (Borealis)	talc/microsilica 2:1	20	2210	46.1
PP3A202E(Borealis)	talc	S	1500	44.0
PPBA202E(Borealis)	talc	10	1800	44.5
PPBA202E(Borealis)	talc	18	2300	36.0
PPBA202E(Borealis)	Microsilica	ഹ	1300	20
PPBA202E(Borealis)	Microsilica	10	1390	20
PPBA202E(Borealis)	Microsilica	1	1220	35